
Marble Look GLAZED PORCELAIN

BEST TILE / BESTTILE.COM Ocean Blue





BEST TILE OCEAN BLUE Shower Walls // OCEAN BLUE 4X12 & 24X24 Niche // OCEAN BLUE 2X2 MOSAIC



DECORS



2x2 Mosaic on 12x12 Sheet



Herringbone Mosaic on 13x13 Sheet



Hexagon Mosaic on 11.5x12 Sheet

VARIATION









Ocean Blue



✓ Stock Item. U Non-Stock Item. Requires Extra Lead Time

TECH INFO

R = Residential, LC = Light Commercial, C = Commercial

ORIGIN: Italy	RECOMMENDED APPLICATIONS	R	LC	С
SHADE VARIATION: V3 - Moderate Variation				
WEAR RATING: Matte: Class 4 - Rated for all residential and light commercial applications; Polished: Class 3 - Rated for all residential applications	FLOORS		+	
	WALLS / BACKSPLASH	•	•	•
It is not recommended to stagger any tile longer than 15" more than 1/3 the length of the tile.	POOL DECKING	*		
	EXTERNAL USE - FROST PROOF	*		

TILE PERFORMANCE DATA

TECHNICAL FEATURE	NORMS	RESULTS	
Water Absorption	ISO 10545-3	0.20%	
Abrasion Resistance (Glazed)	ISO 10545-7	4 (Matte); 3 (Polished)	
Breaking Strength	ISO 10545-4	40-45 N/mm2 (Matte); 45-50 N/mm2 (Polished)	
Dynamic Coefficient of Friction Wet	AcuTest	0.5 (Matte)	
Dimensions Range	ISO 10545-2	Conforms	
Frost Resistance	ISO 10545-12	Frost Proof	
Chemical Resistance - Household Chemicals	ISO 10545-13	Min. Class B	
Thermal Shock Resistance	ISO 10545-19	Resistant	
Resistance to Stains	ISO 10545-14	Min. Class 3	
Crazing Resistance of Glazed Tiles	ISO 10545-11	Resistant	



Always inspect materials prior to installation. Always mix 2-3 cartons at a time while installing to insure the best blend. All product images are representative only. Variation in color and shading is to be expected. Final selection should be made from actual tile samples.

