



Subway Tile

GLAZED CERAMIC

BEST  TILE® / BESTTILE.COM

Memento



BREAKFAST
SANDWICHES
CREAKY COOKIES
SALAD TOPPING
DUCK

BIANCO

BEST  **TILE**®



VARIATION



MERLETTO

BEST  **TILE**®



VARIATION






CHIARO DI LUNA




VARIATION



CINERINO




VARIATION



BEST  TILE®



NUVOLA



EDERA




VARIATION



VARIATION




OLTREMARE



VARIATION



BLU DI PRUSSIA



VARIATION





COLORS, SIZES & AVAILABILITY

NOMINAL SIZE	FINISH	THICKNESS	GROUT JOINT	BIANCO	MERLETTO	CHIARO DI LUNA	CINERINO	NUVOLA	EDERA	OLTREMARE	BLU DI PRUSSIA
2.5 x 5	Glossy	9 mm	3/16"	✓	✓	✓	✓	✓	✓	✓	✓
.5 x 10.5 Quarter Round	Glossy	NA	3/16"	✓	✓	✓	✓	✓	✓	✓	✓

✓ Stock Item. ⚠ Non-Stock Item. Requires Extra Lead Time.

wTECH INFO


R = Residential, LC = Light Commercial, C = Commercial

ORIGIN: Italy	RECOMMENDED APPLICATIONS	R	LC	C
SHADE VARIATION: V2 - Slight Variation	FLOORS			
WEAR RATING: Class 1 - Wall Applications Only	WALLS / BACKSPLASH	●	●	●
Layout and blend cartons prior to installation.	POOL DECKING			
	EXTERNAL USE - FROST PROOF			

● Approved for this application. * Discuss proper installation method with your Sales Representative.

TILE PERFORMANCE DATA

TECHNICAL FEATURE	NORMS	RESULTS
Water Absorption	ISO 10545-3	> 10 %
Abrasion Resistance (Glazed)	ISO 10545-7	1
Breaking Strength	ISO 10545-4	150 Kg/cm2
Chemical Resistance - Household Chemicals	ISO 10545-13	Conforms
Chemical Resistance - Low Concentration of Acids and Bases	ISO 10545-13	Conforms
Resistance to Stains	ISO 10545-14	Class 5
Crazing Resistance of Glazed Tiles	ISO 10545-11	Conforms





VIEW WEBPAGE

Backsplash // MEMENTO MERLETTO & NUVOVA 2.5X5

BEST  TILE[®]

BESTTILE.COM

MARYLAND | MASSACHUSETTS | NEW HAMPSHIRE | NEW JERSEY | NEW YORK | NORTH CAROLINA | PENNSYLVANIA | RHODE ISLAND | VERMONT | VIRGINIA